

**Product Datasheet** 

Order: order@ebiocell.com

TEL: (540)808-3925

Supprt: tech@ebiocell.com
Web: www.ebiocell.com

## Phospho-Btk (Tyr223) Rabbit Polyclonal Antibody

Catalog #: EAB10655

Host/Isotype	Clonality	Applications	MW (kDa)	Reactivity
Rabbit IgG	Polyclonal	WB, ELISA	76	Human, Mouse, Rat

## **Applications Dilutions**

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB(Western Blotting) 1:500-2000
ELISA(Enzyme-linked Immunosorbent Assay) 1:5000-20000

## **Product Information**

**Conjugate** Unconjugate

Specificity

Phospho-Btk (Tyr223) Rabbit Polyclonal Antibody detects endogenous levels of Btk only when

phosphorylated at Tyr223.

**Purification** Affinity purification

Concentration1mg/mlFormatLiquid

Formulation In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol

**Shipping** Gel Pack

Storage Storag

Aliquots may be stored at +4°C for 1-2 weeks

 UniProt ID
 Q06187

 Entrez-Gene Id
 695

## **Product Description**

Btk(also designated BTK, or Bruton tyrosine kinase) is necessary for proper B cell development, and mutations in the gene encoding Btk have been associated with families suffering from X-linked agammaglobulinemia, also referred to as Bruton 's disease. The protein encoded by this gene plays a crucial role in B-cell development. Mutations in this gene cause X-linked agammaglobulinemia type 1, which is an immunodeficiency characterized by the failure to produce mature B lymphocytes, and associated with a failure of Ig heavy chain rearrangement. Alternative splicing results in multiple transcript variants encoding different isoforms.