

### **Product Datasheet**

Order: order@ebiocell.com

TEL: (540)808-3925

Supprt: tech@ebiocell.com
Web: www.ebiocell.com

# **Rpb1 CTD Rabbit Polyclonal Antibody**

Catalog #: EAB10882

| Host/Isotype | Clonality  | Applications             | MW (kDa) | Reactivity                |
|--------------|------------|--------------------------|----------|---------------------------|
| Rabbit IgG   | Polyclonal | WB, IHC-P, IF/ICC, ELISA | 217      | Human, Mouse, Rat, Monkey |

### **Applications Dilutions**

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB(Western Blotting) 1:500-2000
IHC-P(Immunohistochemistry-Paraffin) 1:50-300
IF/ICC(Immunofluorescence/Immunocytochemistry) 1:50-300
ELISA(Enzyme-linked Immunosorbent Assay) 1:5000-20000

#### **Product Information**

**Conjugate** Unconjugate

Specificity Rpb1 CTD Rabbit Polyclonal Antibody detects endogenous levels of Rpb1 CTD protein.

**Purification** Affinity purification

Concentration1mg/mlFormatLiquid

Formulation In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol

Shipping Gel Pack

Storage Storag

Aliquots may be stored at +4°C for 1-2 weeks

 UniProt ID
 P24928

 Entrez-Gene Id
 5430

## **Product Description**

This gene encodes the largest subunit of RNA polymerase II, the polymerase responsible for synthesizing messenger RNA in eukaryotes. The product of this gene contains a carboxy terminal domain composed of heptapeptide repeats that are essential for polymerase activity. These repeats contain serine and threonine residues that are phosphorylated in actively transcribing RNA polymerase. In addition, this subunit, in combination with several other polymerase subunits, forms the DNA binding domain of the polymerase, a groove in which the DNA template is transcribed into RNA.