

#### **Product Datasheet**

Order: order@ebiocell.com

TEL: (540)808-3925

tech@ebiocell.com Supprt:

#### Web: www.ebiocell.com

# c-Fos Rabbit Polyclonal Antibody

Catalog #: EAB13708

Host/Isotype	Clonality	Applications	MW (kDa)	Reactivity
Rabbit IgG	Polyclonal	WB, IHC-P, IF/ICC, ELISA	41	Human, Mouse, Rat

### **Applications Dilutions**

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

1:500-2000 **WB**(Western Blotting) IHC-P(Immunohistochemistry-Paraffin) 1:50-300 **IF/ICC**(Immunofluorescence/Immunocytochemistry) 1:50-300 **ELISA**(Enzyme-linked Immunosorbent Assay) 1:5000-20000

#### **Product Information**

Conjugate Unconjugate

Specificity c-Fos Rabbit Polyclonal Antibody detects endogenous levels of c-Fos protein.

**Purification** Affinity purification

Concentration 1mg/ml **Format** Liquid

**Formulation** In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol

Gel Pack Shipping

Store at -20°C least 1 year from the date of shipment. Avoid repeated freeze/thaw cycles. Storage

Aliquots may be stored at +4°C for 1-2 weeks

**UniProt ID** P01100 **Entrez-Gene Id** 2353

## **Product Description**

The Fos gene family consists of 4 members: FOS, FOSB, FOSL1, and FOSL2. These genes encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. In some cases, expression of the FOS gene has also been associated with apoptotic cell death. c-Fos is a proto-oncogene that is the human homolog of the retroviral oncogene v-fos. c-fos is 380 amino acid protein with a basic leucine zipper region for dimerisation and DNA-binding and a transactivation domain at C-terminus.