

### **Product Datasheet**

Order: order@ebiocell.com

Supprt:

Web:

TEL: (540)808-3925 tech@ebiocell.com

www.ebiocell.com

# C/EBPβ Rabbit Monoclonal Antibody

Catalog #: EAB21667

Host/Isotype	Clonality	Applications	MW (kDa)	Reactivity
Rabbit IgG	Monoclonal	WB, IP, IHC-P, IF/ICC	36	Human, Mouse, Rat

### **Applications Dilutions**

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB(Western Blotting)1:500-2000IP(Immunoprecipitation)1:10-100IHC-P(Immunohistochemistry-Paraffin)1:50-200IF/ICC(Immunofluorescence/Immunocytochemistry)1:50-200

#### **Product Information**

**Conjugate** Unconjugate

Specificity C/EBPβ Rabbit Monoclonal Antibody detects endogenous levels of C/EBPβ protein.

**Purification** Affinity purification

Concentration1mg/mlFormatLiquid

Formulation In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol

Shipping Gel Pack

Storage Storag

Aliquots may be stored at +4°C for 1-2 weeks

 UniProt ID
 P17676

 Entrez-Gene Id
 1051

## **Product Description**

This intronless gene encodes a transcription factor that contains a basic leucine zipper (bZIP) domain. The encoded protein functions as a homodimer but can also form heterodimers with CCAAT/enhancer-binding proteins alpha, delta, and gamma. Activity of this protein is important in the regulation of genes involved in immune and inflammatory responses, among other processes. The use of alternative inframe AUG start codons results in multiple protein isoforms, each with distinct biological functions.