

Phospho-ATP-citrate lyase (Thr447/Ser451) Rabbit Monoclonal Antibody

Catalog #: EAB21885

Host/Isotype	Clonality	Applications	MW (kDa)	Reactivity
Rabbit IgG	Monoclonal	WB	120	Human, Mouse, Rat

Applications Dilutions

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB(Western Blotting)

1:500-2000

Product Information

Conjugate	Unconjugate	
Specificity	Phospho-ATP-citrate lyase (Thr447/Ser451) Rabbit Monoclonal Antibody detects endogenous levels of ATP-citrate lyase only when phosphorylated at Thr447/Ser451.	
Purification	Affinity purification	
Concentration	1mg/ml	
Format	Liquid	
Formulation	In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol	
Shipping	Gel Pack	
Storage	Store at -20°C least 1 year from the date of shipment. Avoid repeated freeze/thaw cycles. Aliquots may be stored at +4°C for 1-2 weeks	
UniProt ID	<u>P53396</u>	
Entrez-Gene Id	<u>47</u>	

Product Description

ATP-citrate lyase is the primary enzyme responsible for the synthesis of cytosolic acetyl-CoA in many tissues. The enzyme is a tetramer (relative molecular weight approximately 440,000) of apparently identical subunits. It catalyzes the formation of acetyl-CoA and oxaloacetate from citrate and CoA with a concomitant hydrolysis of ATP to ADP and phosphate. The product, acetyl-CoA, serves several important biosynthetic pathways, including lipogenesis and cholesterogenesis. In nervous tissue, ATP citrate-lyase may be involved in the biosynthesis of acetylcholine. Multiple transcript variants encoding distinct isoforms have been identified for this gene.

For Reserch Use Only. Not For Use In Diagnostic Procedures

Add: Imperial Business Park 4819 Emperor Boulevard, Suite 408 Durham, NC 27703, USA