

Fatty Acid Synthase Rabbit Monoclonal Antibody

Catalog #: EAB22300

Host/Isotype	Clonality	Applications	MW (kDa)	Reactivity
Rabbit IgG	Monoclonal	WB, IHC-P, FC	273	Human, Mouse, Rat

Applications Dilutions

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB(Western Blotting)	1:500-2000
IHC-P(Immunohistochemistry-Paraffin)	1:100-500
FC(Flow Cytometry)	1:10-100

Product Information

Conjugate	Unconjugate
Specificity	Fatty Acid Synthase Rabbit Monoclonal Antibody detects endogenous levels of Fatty Acid Synthase protein.
Purification	Affinity purification
Concentration	1mg/ml
Format	Liquid
Formulation	In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol
Shipping	Gel Pack
Storage	Store at -20°C least 1 year from the date of shipment. Avoid repeated freeze/thaw cycles. Aliquots may be stored at +4°C for 1-2 weeks
UniProt ID	P49327
Entrez-Gene Id	2194

Product Description

Fatty acid biosynthesis(FASN) is mediated by seven catalytic enzymes and an acyl carrier protein (ACP), to which various acyl intermediates are covalently attached. Fatty Acid Synthase (FAS) is the anabolic enzyme that contains the seven unique catalytic sites and mediates the conversion of acetyl-CoA and malonyl-CoA, in the presence of the cofactor NADPH, into long-chain saturated fatty acids, such as palmitate. Human Fatty Acid Synthase cDNA encodes a 2,504 amino acid protein. Catalytically active Fatty Acid Synthase is a homodimer. Human Fatty Acid Synthase mRNA is variably expressed with abundant levels present in brain, lung and liver. Fatty acid synthetic metabolism is abnormally elevated in tumor cells and may support cell growth or survival of malignant cancers.

For Reserch Use Only. Not For Use In Diagnostic Procedures